

PORTLAND PUDGY *System*

The fun boat that could save your life

Item, Part Number, Description

Basic Boat, Part #PP-BB. USCG approved 4 persons (available in soft white, sunset yellow, red). 92” long x 53”wide. Includes:

- Two 6’-6” collapsible aluminum oars with retaining sleeves and collars (\$128 value).
- Richie compass standard (optional electrical system will illuminate compass).
- Towing Bridle harness (secures to two stainless steel eyes with backer disk for towing, lifting, or sea anchor).
- Self bailing with drain plug (boat weight plus 30 lbs.)
- Hand holds in keel for righting boat (which comes up empty of water after capsize).
- Three seats with hand holds (middle seat adjusts to two rowing positions for extra space and load/ballast adjustments; uses stainless steel pin hinges).
- Five storage/access hatches w/gaskets (6.4” inside diameter. All accessory equipment, sailing rig, oars, etc. fit through the access hatches).
- Four reinforced through holes fore and aft (used for tie-down and/or securing fender/boarding ladder, and for use with an anti-theft locking security cable).
- Four stainless steel oarlock sockets (for use with adjustable middle seat) and two stainless steel oarlocks (with locking system).
- Double roller wheels (allows one person to roll the boat on dock or landing ramp).
- Grab lines (four).
- SOLAS approved reflective strips (three)
- Motor mount and aluminum retaining plate (removable) for long shaft 2HP motors (short shaft motor mount available for use with narrow motor housing 2 cycle engines \$32).

Bailing Pump and Access Port, Part #PP-BP. Includes:

- Hand-bilge pump, Beckson, 18”.
- Access port with gasket (mounted on gunwale)
- Installation at factory (optional)

Davit Lifting/Safety Harness Eyes, Part #PP-DS. Includes:

- Four stainless steel eyes with backer plates (on interior side wall).
- Installation at factory (optional).

Electrical System, Part #PP-ES. Includes:

- Electrical panel.
- Accessory socket (powers plug-in equipment and can receive power for charging battery).
- Two toggle switches (one to illuminate compass and navigation light, one for red LED cockpit light).
- Battery (Rechargeable, 12 volt, 2.6 AH, 2.2 lbs, sealed lead acid).
- Perko navigation light, all-around white, removable and adjustable (USCG requires an all around white light at night).
- Perko base and gasket.
- Installation at factory (optional, but recommended)

Solar Panel, Part #PP-SP. Folding three panel. Charges battery in about 5 hours. Plugs into electrical panel outlet. Stores in boat or on canopy. Includes:

- Outlet plug.

PORTLAND PUDGY *System*

Sailing Rig, Part #PP-SR. Stores inside boat through transom access hatch. Includes:

- Telescoping (aluminum) 8-foot mast, two position with push-button release.
- Gaff (aluminum)
- Boom (flexible and knock-down).
- Sail, 4.5 oz Dacron, high performance, (reefs down, or up when used w/ exposure canopy, creating pro-active life boat)
- Orange sail (optional at extra charge).
- Two lee boards (floatable and stored under rear seat).
- Kick-up rudder (three position) and Rudder post (stores under rear seat), and aluminum tiller with stainless steel rudder/tiller connector.
- Gudgeons (with pintle lock).
- Rigging lines, Harken blocks, Traveler.

Exposure Canopy, Part #PP-EC. Transforms boat into 4-person, hard bottom, unsinkable, proactive life raft (when used with sailing rig or oars). Self-rights empty boat. Stores inside boat or is pre-set on gunwales. Includes:

- Three-section canopy (with 6" dia. flotation tubes around entire gunwale and two 6" dia. support arches). Adds 258 lbs of flotation.
- Bow and stern tubes inflate by hand pump or by two CO2 cylinders (in 17 seconds).
- Zip in middle section (with two 6" dia. flotation pods orally inflated).
- Two top-off/pressure relief valves.
- Two inflation valves (US Navy approved), two 230 gram CO2 cylinders.
- Canopy material USCG recommended orange outside, blue inside (anti-nausea).
- Canopy secured to boat with 12 stainless steel pad-eyes (pad-eyes permanently mounted on boat gunwale).
- Three windows (1 forward, 2 side).
- Four SOLAS approved reflective strips.
- Hole with flap for mast.
- Rain catcher and spout.
- Adjustable bow and stern straps to allow access to sea-anchor or tiller.
- USN approved bellows hand pump.

Sea Anchor and Rode, Part #PP-SA. Designed by Fiorentino Para-Anchor.

Highly recommended for survival use. Includes:

- Rugged 30" dia. para-anchor (with patented stainless steel swivel ring shackle).
- 70' of 3/8" dia. rode.

Boarding Ladder/Fender, Part #PP-MC. Multi-Function Cylinder functions as a boarding ladder, grab line, fender, and foot support to right boat. Includes:

- Foam cylinder with Sunbrella cover serves as a fender.
- Webb boarding ladder is rolled around foam cylinder and when pulled serves as ladder.
- Line through cylinder secures to boat and serves as a grab line.

Boat Cover, Part #PP-BC. Light gray, Odyssey III, 6.5 oz/sq yd, coated polyester, with 12" deep skirt. Special color \$40 extra. (Required when using exposure canopy in pre-set mode). Includes:

- Bungee cord around perimeter of skirt for snug fit.
- Two 1" webbing straps with stainless steel cam buckles pass under bottom of boat to secure cover.
- Four grommet holes for access to tie-down through-holes in boat.

PORTLAND PUDGY *System*

Boat Cover for Davits, Part #PP-BCD. Same as boat cover. Additionally includes:

- Two 24” double pull zippers to access davit lifting lines to Portland Pudgy lifting bridles.
- Two 24” double pull zippers to access Portland Pudgy davit harness spring lines to lifting eye bolts on Pudgy.

Boat Cover for Weaver Davits, Part #PP-BCWD. Same as boat cover. Additionally includes:

- Two 12” double pull zippers for access to Weaver Davit mounting eye.
- Two reinforced access holes for davit mounting eye.

Weaver Davits, Part #PP-WD. A removable, rugged stainless steel, davit system for boats with swim platforms. Includes:

- Two removable heavy duty eye pins and backer plates for Pudgy.
- Two snap davit heads for swim platform.
- Two stand off arms (included, but price varies with length).

David Harness, Part #PP-DH. Used with double arm type davit system.

Highly recommended to support weight of dinghy. Secures dinghy horizontally or vertically (to avoid dinghy filling with water in a following sea). All stainless steel hardware. Includes:

- Two lifting bridles (secured to four lifting eyes on Pudgy).
- One “H” harness with ratchets for passing under bottom of Pudgy.
- Two spring lines to stabilize dinghy in heavy seas.